



The Airtrack is an inflatable rescue path used by the majority of the rescue services for accessing casualties during rescue on water, mud, ice and unstable terrain.

Constructed in a catamaran shape, the Airtrack has two sponsons running lengthways down the underside of the path. This shape provides exceptional stability on water, especially during casualty recovery. It also offers clearance on ice, mud flats and unstable terrain, and prevents suction onto mud and soft surfaces.

The Airtrack rescue path is available in various sizes, from 2 to 15m in length. To span greater distances or for increased capacity, several inflatable paths can be connected together.

The Airtrack is compact and portable, packing away neatly into the carrying valise provided. It can be inflated and deployed quickly allowing rescue personnel access to the casualty within minutes.

FEATURES


- Lightweight and easily portable
- Inflated from a single point for speed of inflation and air transfer valves are fitted between the path and the sponsons to isolate the separate chambers
- Dropstitch construction creates a firm flat surface to walk on
- Reflective tapes are fitted for night time visibility
- Airtracks can easily be connected end to end using the attached D-rings and hooks
- Can be used as a temporary pontoon, rescue raft, platform or access path
- Minimal training, servicing and maintenance costs

USED FOR

- Mud rescue
- Flood Rescue
- River Rescue
- Ice Rescue
- Casualty Recovery
- Unstable Terrain

TECHNICAL DATA	2M	3M	4M	5M	10M
Product Code	WRW0011/01	WR0W012/01	WRW0013/01	WRW0014/01	WRW0015/01
Length (cm)	200	300	400	500	1000
Width (cm)	137	137	137	137	137
Height (cm)	25	25	25	25	25
Capacity (kg)	200	300	400	500	1000
Air Requirements (ltr)	640	960	1280	1600	3200
Pack Size (cm)	82 x 48 x 24	87 x 48 x 28	87 x 48 x 32	87 x 48 x 35	89 x 73 x 50
Weight (kg)	12	17	22	28	55
Recommended Regulator	8 bar	8 bar	8 bar	8 bar	8 bar

DETAIL DRAWING



SUPPLIED WITH

- End joining hooks and D-rings (x2)
- Grab lines along the length of the path
- Valise
- Repair kit
- Delivery hose (1m)


OPTIONS

- Branding/Lettering
- 8 bar regulator
- Foot or Hand Pumps
- Electric inflator
- Stowage Pockets
- Throw lines & quoits


OPTIONS FOR INFLATION




B.A. Cylinder
(By others)




8 bar Regulator
(RE0034)
Regulator with
fixed hose
(RE0034/006)




1m Delivery Hose
(Supplied with sled
HS-03-04-01-09-17)




**Master Blaster
Electric Inflator**
(180041 - 240v)
(180042 - 110v)



**Bravo2000
Electric Inflator**
(180026)



**Bravo10 Foot
Pump**
(180006)



**Bravo 4 ALU R.E.D Hand
Pump**
(180001)

